

L'exemplaire filmé fut reproduit grâce à la
générosité de:




Stauffer Library
Queen's University

Les images suivantes ont été reproduites avec le
plus grand soin, compte tenu de la condition et
de la netteté de l'exemplaire filmé, et en
conformité avec les conditions du contrat de
filmage.

Les exemplaires originaux dont la couverture en
papier est imprimée sont filmés en commençant
par le premier plat et en terminant soit par la
dernière page qui comporte une empreinte
d'impression ou d'illustration, soit par le second
plat, selon le cas. Tous les autres exemplaires
originaux sont filmés en commençant par la
première page qui comporte une empreinte
d'impression ou d'illustration et en terminant par
la dernière page qui comporte une telle
empreinte.

Un des symboles suivants apparaîtra sur la
dernière image de chaque microfiche, selon le
cas: le symbole → signifie "A SUIVRE", le
symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être
filmés à des taux de réduction différents.
Lorsque le document est trop grand pour être
reproduit en un seul cliché, il est filmé à partir
de l'angle supérieur gauche, de gauche à droite,
et de haut en bas, en prenant le nombre
d'images nécessaire. Les diagrammes suivants
illustrent la méthode.



REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

**VOLUME VIII: MOLLUSKS, ECHINODERMS,
COELENTERATES, ETC.**

PART I: HYDROIDS

By C. McLEAN FRASER



G
670
1913
D2t
v.8
pt.1
c.3

OTTAWA
F. A. ACLAND
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1922

Issued August 24, 1922

Report of the Canadian Arctic Expedition, 1913-18.

VOLUME I: NARRATIVE OF THE EXPEDITION

- Part A: NORTHERN PARTY, 1913-18. By Vilhjalmur Stefansson. (In preparation).
 Part B: SOUTHERN PARTY, 1913-18. By Rudolph Martin Anderson. (In preparation).

VOLUME II: MAMMALS AND BIRDS

- Part A: MAMMALS OF WESTERN ARCTIC AMERICA.
 By Rudolph Martin Anderson. (In preparation).
 Part B: BIRDS OF WESTERN ARCTIC AMERICA.
 By R. M. Anderson and P. A. Taverner. (In preparation).

VOLUME III: INSECTS

- INTRODUCTION. By C. Gordon Hewitt. (Issued December 10, 1920).
 Part A: COLLEMBOLA. By Justus W. Folsom. (Issued July 10, 1919).
 Part B: NEUROPTEROID INSECTS. By Nathan Banks. (Issued July 11, 1919).
 Part C: DIPTERA.
 Crane-flies. By Charles P. Alexander.
 Mosquitoes. By Harrison G. Dyar.
 Diptera (excluding Tipulidae and Culicidae). By J. R. Malloch. (Issued July 14, 1919).
 Part D: MALLOPHAGA AND ANOPLURA.
 Mallophaga. By A. W. Baker.
 Anoplura. By G. F. Ferris and G. H. F. Nuttall. (Issued September 12, 1919).
 Part E: COLEOPTERA.
 Forest Insects, including Ipidae, Cerambycidae, and Buprestidae. By J. M. Swaine.
 Carabidae and Silphidae. By H. C. Fall.
 Coccinellidae, Elateridae, Chrysomelidae and Rhychophora (excluding Ipidae).
 By C. W. Long.
 Dytiscidae. By J. D. Sherman, Jr. (Issued December 12, 1919).
 Part F: HEMIPTERA. By Edward P. VanDuzee. (Issued July 11, 1919).
 Part G: HYMENOPTERA AND PLANT GALLS.
 Sawflies. (Tenthredinoides). By Alex. D. MacGillivray.
 Parasitic Hymenoptera. By Charles T. Brues.
 Wasps and Bees. By F. W. L. Sladen.
 Plant Galls. By E. Porter Felt. (Issued November 3, 1919).
 Part H: SPIDERS, MITES AND MYRIAPODS.
 Spiders. By J. H. Emerton.
 Mites. By Nathan Banks.
 Myriapods. By Ralph V. Chamberlin. (Issued July 14, 1919).
 Part I: LEPIDOPTERA. By Arthur Gibson. (Issued January 10, 1920).
 Part J: ORTHOPTERA. By E. M. Walker. (Issued September 4, 1920).
 Part K: GENERAL OBSERVATIONS ON INSECT LIFE IN THE ARCTIC.
 By Frits Johansen. (In press).

VOLUME IV: BOTANY

- Part A: FRESHWATER ALGAE AND FRESHWATER DIATOMS. By Charles W. Lowe. (In preparation).
 Part B: MARINE ALGAE. By F. S. Collins. (In preparation).
 Part C: FUNGI. By John Dearnass. (In preparation).
 Part D: LICHENS. By G. K. Merrill. (In preparation).
 Part E: MOSSES. By R. S. Williams. (Issued February 8, 1921).

VOLUME V: BOTANY

- Part A: FLOWERING PLANTS AND FERNS. By James M. Macoun and Thos. Holm. (In press).
 Part B: CONTRIBUTIONS TO MORPHOLOGY, SYNONYMY, AND GENERAL DISTRIBUTION OF ARCTIC PLANTS. By Thos. Holm. (In press).
 Part C: GENERAL NOTES ON ARCTIC VEGETATION. By Thos. Holm. (In preparation).

VOLUME VI: FISHES, TUNICATES,

- Part A: FISHES. By F. Johansen. (In preparation).
 Part B: ASCIDIANS, ETC. By A. G. Huntsman. (In press).

VOLUME VII: CRUSTACEA

- Part A: DECAPOD CRUSTACEANS. By Mary J. Rathbun. (Issued August 18, 1919).
 Part B: SCHIZOPOD CRUSTACEANS. By Waldo L. Schmitt. (Issued September 22, 1919).
 Part C: CUMACEA. By W. T. Calman. (Issued October 15, 1920).
 Part D: ISOPODA. By P. L. Boone. (Issued November 10, 1920).
 Part E: AMPHIPODA. By Clarence R. Shoemaker. (Issued September 7, 1920).
 Part F: PYCNOGONIDA. Leon J. Cole. (In press, January 3, 1921).
 Part G: EUPHYLLOPODA. By F. Johansen. (Issued May 10, 1922).
 Part H: CLADOCERA. By Chancey Juday. (Issued June 23, 1920).
 Part I: OSTRACODA. By R. W. Sharpe. (In preparation).
 Part J: FRESHWATER COPEPODA. By C. Dwight Marsh. (Issued April 21, 1920).
 Part K: MARINE COPEPODA. By A. Willey. (Issued June 25, 1920).
 Part L: PARASITIC COPEPODA. By Charles B. Wilson. (Issued August 6, 1920).
 Part M: CIRRIPIEDIA. By H. A. Pilsbry. (In preparation).
 Part N: CRUSTACEAN LIFE OF SOME ARCTIC LAGOONS, LAKES AND PONDS. By F. Johansen. (In press).

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME VIII: MOLLUSKS, ECHINODERMS,
COELENTERATES, ETC.

PART I: HYDROIDS

By C. McLEAN FRASER



OTTAWA
F. A. ACLAND
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1922

G 670. 1913 cat v. 8 pt. I c. 3

Hydroids of the Canadian Arctic Expedition, 1913-18.

By C. McLEAN FRASER

The number of hydroids collected by the Canadian Arctic Expedition was not large, but along with this collection Mr. Frits Johansen sent some that he collected in Hudson Bay in August, 1920, and some collected at other times, that were found in the Victoria Memorial Museum, Ottawa.

Taken altogether, the collection, although not large, is quite interesting, and as it is all from the northern and arctic regions, it is considered in the one report. The largest portion came from Richmond gulf, east coast of Hudson bay, where 17 out of a total of 25 marine species were obtained.

The species represented give support to the distribution theory advanced on previous occasions, i.e. that most of the hydroids of the north temperate seas, in all the families, with the exception of the Plumularidae, which, in any case, is not well represented, have had their origin in some Arctic centre from which there has been a circumpolar distribution and from this distribution, southward along each coast of each continent.

No new species has appeared in the collection. Of the 25 marine species obtained, *Abietinaria greenei* was found only in the Bering sea near the Aleutian islands. Previously, it had not been reported farther north than Vancouver island. Of the remaining 24, only one species had hitherto been found in the Pacific, and not to the eastward. This was *Hydractinia lavispina*, obtained from Gabriola pass (20 miles from the Biological Station, Nanaimo, B.C.) in 1921, and just described as a new species. If time of collecting were considered, Bernard harbour would be the original locality.

The species reported farther east and not in the Pacific are *Gonothyra lorei*, *Haecium beani* and *Selaginopsis alternitheca*. The first two are common species on the eastern Canadian coasts, as well as in European waters, and they have not appeared so very far afield since the former was collected in Hudson strait and the latter in Hudson bay. *Selaginopsis alternitheca* was first reported from Davis strait. The only other appearance until now was in some material collected near Cheticamp, Cape Breton, in 1917.

A table will show the comparative distribution. The Arctic refers largely to the European Arctic, although it includes the Greenland area as well.

Besides the marine material, some specimens of *Hydra* were collected by Mr. Johansen, but they were not in good enough condition for classification. Some of them were obtained in a creek at Bernard harbour, Dolphin and Union strait, August 6, 1915. Johansen's record is as follows: "Attached to the underside of stones in the streaming water were many (fully outstretched ca. 15 mm. long) *Hydra* species of the following colour: suctorial disc at hind end, pale rosa; this colour getting first paler but afterwards increasing in intensity forwards; front end, strongly rosa; the 8 tentacle pale."

Some other specimens were obtained at Konganevik, Alaskan coast, but they were not kept, and the particulars are meagre. His note is as follows: "June 25, 1914. Konganevik (Camden bay), Alaskan arctic coast. In a tundra

	Pacific	Atlantic	Europe	Arctic
<i>Syncoryne eximia</i>	x		x	x
<i>Eudendrium tenellum</i>	x	x	x	x
<i>Hydractinia laevispina</i>	x			
<i>Campanularia volubilis</i>	x	x	x	x
<i>Gonothyræa loveni</i>		x	x	x
<i>Obelia plicata</i>	x		x	
<i>Calycella syringa</i>	x	x	x	x
<i>Cuspidella grandis</i>	x	x	x	x
<i>Opercularella lacerata</i>	x	x	x	x
<i>Halecium beani</i>		x	x	x
<i>Halecium labrosum</i>	x	x	x	
<i>Halecium muricatum</i>	x	x	x	x
<i>Halecium tenellum</i>	x	x	x	x
<i>Filellum serpens</i>	x	x	x	x
<i>Lafra dumosa</i>	x	x	x	x
<i>Lafra fruticosa</i>	x	x	x	x
<i>Lafra gracillima</i>	x	x	x	x
<i>Abietinaria greenii</i>	x			
<i>Abietinaria turgida</i>	x			x
<i>Diphasia pulchra</i>	x	x		x
<i>Selaginopsis alternitheca</i>		x		
<i>Sertularella fusiformis</i>	x	x	x	
<i>Sertularella polyzonias</i>	x	x	x	x
<i>Sertularella tricuspidata</i>	x	x	x	x
<i>Thuiaria similis</i>	x	x		

pond I found attached to water plants, minute, 1 cm. long (fully outstretched, including the five arms), bright red *Hydra* species forming their typical known spores on the side of the 'stalk.' I tried to keep them alive, but they died and rotted later. The temperature of the margin of the pond was 54° F. (2 p.m.)."

SPECIES AND DISTRIBUTION

Family SYNCORYNIDAE

Syncoryne eximia Allman.—Richmond gulf, 15-20 fathoms.

Family EUDENDRIDAE

Eudendrium tenellum Allman.—Richmond gulf, 15-20 fathoms.

Family HYDRACTINIDAE

Hydractinia laevispina Fraser.—Station 41, Bernard harbour, N.W.T., 3-5 fathoms, July 20, 1915.

Family CAMPANULARIDAE

Campanularia volubilis (Linn.)—Richmond gulf, 15-20 fathoms.

Gonothyræa loveni (Allman).—Richmond gulf, 15-20 fathoms.

Obelia plicata, Hineks.—Small island between Long island and Cape Jones, east coast of Hudson bay. Beach water.

Family CAMPANULINIDAE

Calycella syringa (Linn.)—Port Burwell, Ungava. "Neptune" Expedition, 1903-04; between Black Whale and Olaska harbours, east coast of Hudson bay, 10 fathoms; Richmond gulf, 15-20 fathoms.

Cuspidella grandis Hincks.—Richmond gulf, 15-20 fathoms; Station 43b, Dolphin and Union strait, N.W.T., 50-60 metres, September 14, 1915.

Opercularella lacerata (Johnston).—Richmond gulf, 15-20 fathoms.

Family **HALECIDAE**

Halecium beani (Johnston).—King George's sound, south side of Hudson strait, 40 fathoms, "Diana" Expedition, September, 1897.

Halecium labrosum, Alder.—Richmond gulf, 15-20 fathoms.

Halecium muricatum (Ellis and Solander).—Richmond gulf, 15-20 fathoms.

Halecium tenellum, Hincks.—King George sound, south side of Hudson strait, 40 fathoms; Port Burwell, Ungava; Richmond gulf, 15-20 fathoms.

Family **LAFOEIDAE**

Filellum serpens (Hassell).—Richmond gulf, 15-20 fathoms.

Lafaea dumosa (Fleming).—Richmond gulf, 15-20 fathoms.

Lafaea fruticosa Sars.—Richmond gulf, 15-20 fathoms.

Lafaea gravillima (Alder).—Richmond gulf, 15-20 fathoms.

Family **SERTULARIDAE**

Abietinaria greeni (Murray).—Station 14, Bering sea, near Unimak, Alaska, July 2, 1913. Surface.

Abietinaria turgida (Clark).—Between Blackwhale and Olaska harbours, east coast of Hudson bay, 10 fathoms; Richmond gulf, 15-20 fathoms; Station 19 a-c, off Norton sound, Alaska, July 8, 1913, surface; Station 14, Bering sea, near Unimak island, Alaska.

Diphasia pulchra Nutting.—Bay on east side of Grey Goose island (lat. 54° N.), east side of James bay, 10 fathoms.

Selaginopsis alternithecra (Levensen).—Station 27s, Collinson point, Alaska, 3 fathoms, October 3, 1913.

Sertularella fusiformis (Hincks).—King George sound, south side of Hudson strait, 40 fathoms.

Sertularella polyzonias (Linn.).—King George sound, south side of Hudson strait, 40 fathoms; Richmond gulf, 15-20 fathoms.

Sertularella tricuspidata (Alder).—Station 22, near Icy cape, Alaska, 11-12 fathoms, August 17, 1913, Richmond gulf, 15-20 fathoms.

Thuiaria similis (Clark).—Station 22, near Icy cape, Alaska, 11-12 fathoms; Richmond gulf; 15-20 fathoms.

DEPARTMENT OF ZOOLOGY,
UNIVERSITY OF BRITISH COLUMBIA,
VANCOUVER.

NOTE.—For synonymy and bibliography see previous papers, especially, The Hydroids of the west coast of North America: Bulletin from the Laboratories of Natural History, State University of Iowa, 1911, pp. 1-91.

Some hydroids of the Vancouver island region: Transactions of the Royal Society of Canada, Ser. 3, vol. viii, Sec. iv, 1914, pp. 99-216.

Hydroids of eastern Canada: Contributions to Canadian Biology, 1918, pp. 329-336.

5

Report of the Canadian Arctic Expedition, 1913-18.

VOLUME VIII: MOLLUSKS, ECHINODERMS, COELENTERATES, ETC

- Part A: MOLLUSKS, RECENT AND PLEISTOCENE. By William H. Dall. (Issued September 24, 1919).
Part B: CEPHALOPODA AND PTEROPODA.
 Cephalopoda. By S. S. Berry.
 Pteropoda. By W. F. Clapp. (In preparation).
Part C: ECHINODERMS. By Austin H. Clark. (Issued April 6, 1920).
Part D: BRYOZOA. By R. C. Osburn. (In preparation).
Part E: ROTATORIA. By H. K. Harring. (In preparation).
Part F: CHAETOGNATHA. By A. G. Huntsman. (In preparation).
Part G: ALCYONARIA AND ACTINARIA. By A. E. Verrill. (In press).
Part H: MEDUSAE AND CTENOPHORA. By H. B. Bigelow. (Issued June 30, 1920).
Part I: HYDROIDS. By C. McLean Fraser. (In press).
Part J: PORIFERA. By A. Dendy. (In preparation).

VOLUME IX: ANNELIDS, PARASITIC WORMS, PROTOZOANS, ETC.

- Part A: OLIGOCHAETA.
 Lumbriculidae. By Frank Smith.
 Enchytraelidae. By Paul S. Welch. (Issued September 23, 1919).
Part B: POLYCHAETA. By Ralph V. Chamberlin. (Issued November 16, 1920).
Part C: HIRUDINEA. By J. P. Moore. (Issued February 4, 1921).
Part D: GEPHYREA. By Ralph V. Chamberlin. (Issued June 10, 1920).
Part E: ACANTHOCEPHALA. By H. J. Van Cleave. (Issued April 7, 1920).
Part F: NEMATODA. By N. A. Cobb. (In preparation).
Part G-H: TREMATODA AND CESTODA. By A. R. Cooper. (Issued February 4, 1921).
Part I: TURBELLARIA. By A. Hassell. (In preparation).
Part J: GORDIACEA.
Part K: NEMERTINI. By Ralph V. Chamberlin. (In preparation).
Part L: SPOROZOA. By J. V. Mavor. (In preparation).
Part M: FORAMINIFERA. By J. A. Cushman. (Issued February 8, 1920).

VOLUME X: PLANKTON, HYDROGRAPHY, TIDES, ETC.

- Part A: PLANKTON. By Albert Mann. (In preparation).
Part B: MARINE DIATOMS. By L. W. Bailey. (In preparation).
Part C: TIDAL OBSERVATIONS AND RESULTS. By W. Bell Dawson. (Issued October 1, 1920).
Part D: HYDROGRAPHY. (In preparation).

VOLUME XI: GEOLOGY AND GEOGRAPHY

- Part A: THE GEOLOGY OF THE ARCTIC COAST OF CANADA, WEST OF THE KENT PENINSULA. By J. J. O'Neill. (In preparation).
Part B: MAPS AND GEOGRAPHICAL NOTES. By Kenneth G. Chipman and John R. Cox. (In preparation).

VOLUME XII: THE COPPER ESKIMOS (One part, complete)

- THE LIFE OF THE COPPER ESKIMOS. By D. Jenness. (In press).

VOLUME XIII: PHYSICAL CHARACTERISTICS AND TECHNOLOGY OF THE WESTERN AND CENTRAL ESKIMOS

- Part A: THE PHYSICAL CHARACTERISTICS OF THE WESTERN AND COPPER ESKIMOS. By D. Jenness. (In preparation).
Part B: OSTEOLOGY OF THE WESTERN AND CENTRAL ESKIMOS. By John Cameron. (In preparation).
Part C: TECHNOLOGY OF THE COPPER ESKIMOS. (To be prepared).

VOLUME XIV: ESKIMO FOLK-LORE AND LANGUAGE

- Part A: FOLK-LORE, WITH TEXT FROM ALASKA, THE MACKENZIE DELTA, AND CORONATION GULF. By D. Jenness. (In preparation).
Part B: COMPARATIVE GRAMMAR AND VOCABULARY OF THE ESKIMO DIALECTS OF POINT BARROW, THE MACKENZIE DELTA, AND CORONATION GULF. By D. Jenness. (In preparation).

VOLUME XV: ESKIMO STRING FIGURES AND SONGS

- Part A: STRING FIGURES OF THE ESKIMOS. By D. Jenness. (Ready for press).
Part B: SONGS OF THE COPPER ESKIMOS. By Helen H. Roberts and D. Jenness. (In preparation).

VOLUME XVI: ARCHAEOLOGY

- CONTRIBUTIONS TO THE ARCHAEOLOGY OF WESTERN ARCTIC AMERICA. (To be prepared).



